



www.esl-eastafrica.com

Powering Our Customers To Market Leadership

ESL GRABS PROFILE

OVERVIEW..

- Manufactured in 2010 by one of the worlds' best manufacturers.
- Has a dead weight of 10mts and capacity of 12cbm
- Radio remote controlled thus easy to open and close.
- Flexible allowing manipulation of the spill
 plates which can be converted to 10 cbm and
 6 cbm for heavy cargoes to suit ships crane
 capacity.



CBM - Cubic Metre

SWL - Safe Working Load

Pwwd - per weather working day





- Used with ships cranes of 30mts SWL and min
 Crane outreach of 8.5m measured from ships
 side. If the cranes are 25mts SWL, the owners
 have to accept in advance that ship cranes
 will work with our 12cbm grabs.
- Specially designed and reinforced to handle bulk cargo such as iron ore, limestone, clinker, coal, bauxite, gypsum, fertilizer, grains, salt, soda ash, etc.

PROPERTIES...

- Structural Strength: Made of hardox steel specialized for highly corrosive and bulk material.
- **Performance:** Can easily achieve 10-15,00mts pwwd performing better than vessel grabs
- **Efficiency:** High discharge rates reducing discharge time and operation costs to ship owners.



Acronyms:

CBM - Cubic Metre

SWL - Safe Working Load

Pwwd - per weather working day

PROPERTIES..



- Eco-friendly: Close tightly eliminating spillage.
- Readily Accessible: Stored inside port area,
 hence can be mobilized in short notice.
- Safety Guaranteed: Valid Class Society
 Certificates

RESERVATION DETAILS...

Express Shipping & Logistics (EA) Ltd

6th Floor, Cannon Towers II Bandari Wing

P. O Box 1922 - Mombasa 80100, KENYA

Tel: +254 41 222 9784, +254 41 222 9786, +254 41

222 4822, + 254 719 888 222

agency@esl-•-eastafrica.com **Email:**

Web: http://www.esl-•-eastafrica.com

MEMBER



BIMCO MEMBER#: 129317



Acronyms:

CBM - Cubic Metre

SWL - Safe Working Load

Pwwd - per weather working day



www.esl-eastafrica.com

Powering Our Customers To Market Leadership



ESL GRABS PROFILE